Jule 1.126

Art Unit: 2623

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A method for use in converting input sets of data having an associated input rate into output sets of data, based on the input sets, for use at an associated output rate that differs from the input rate, comprising:

receiving at least one stored value indicative of the difference between the input rate and the output rate[[,]]; and

performing at least one computation based on the at least one stored value, the result of the computation being used, in generating of the output sets of data, to control the insertion of additional sets of data or the deletion of sets of data wherein the at least one computation is based on Breshenham's algorithm.

- 2. (Original) The method of claim 1 in which the input sets and the output sets comprise video frames.
- (Original) The method of claim 1 in which the input sets are based on compressed digital information.
 - 4. (Original) The method of claim 3 in which the compressed digital

Docket: 94101503(GB)USD1 PDDD

USSN: 09/912,216

Ruls 1-126

PATENT Art Unit: 2623

information complies with a data compression standard for video information.

5. (Original) The method of claim 4 in which the standard comprises MPEG, JPEG, or H.261.

- 6. (Original) The method of claim 1 in which the output sets comprise video fields that satisfy a video broadcast standard.
- 7. (Original) The method of claim 6 in which the video broadcast standard comprises NTSC, SECAM, or PAL.
- 8. (Original) The method of claim 1 in which the input rate is one of 24, 25, or 30 frames per second.
- 9. (Original) The method of claim 1 in which the output rate is one of 50 or 60.
 - 10. (Cancelled)
- 11. (Currently Amended) [[The]] A method of claim 1 in which for use in converting input sets of data having an associated input rate into output sets of data, based on the input sets, for use at an associated output rate that differs from the input rate, comprising:

receiving at least one stored value indicative of the difference between the input rate and the output rate; and

performing at least one computation based on the at least one stored value, the result of the computation being used, in generating of the output sets of data, to control the insertion of additional sets of data or the deletion of sets of data wherein the at least one stored value includes one of a positive incremental value and a negative incremental value.

- 12. (Original) The method of claim 1 in which the at least one computation comprises a computation performed with respect to each of the input sets.
- 13. (Original) The method of claim 1 in which the insertion or deletion of sets of data occurs at regular intervals.
- 14. (Original) The method of claim 1 in which the ratio of the input rate to the output rate may be any arbitrary rate.
- 15. (Original) The method of claim 1 further comprising delivering the output sets of data at the output rate.
- 16. (Original) The method of claim 1 in which the additional sets of data that are inserted comprise copies of ones of the input sets of data.

17. (Withdrawn) A method comprising:

receiving a succession of compressed digital video input frames that comply with a digital video standard, the input frames having an associated input frame rate in accordance with the standard.

decompressing the input frames,

using the decompressed input frames to generate a succession of output video frames that comply with a broadcast video standard, the output frames having an associated output frame rate that is different from the input frame rate, and

in connection with the generation of the output video frames performing a computation that controls the insertion of additional frames into the output frames or the deletion of frames from the output frames to achieve the output frame rate.

18. (Withdrawn) A method comprising:

receiving MPEG video frames having an associated frame rate, decompressing the MPEG frames,

based on the MPEG frames, generating a sequence of video frames for displaying at a frame rate different from the frame rate associated with the MPEG video frames, by performing a computation that controls insertion of additional frames into the display sequence.

19. (Currently Amended) A video decoder associated with a displaying

device [[and]] comprising:

stored values indicative of a difference in data set rates between input video data sets received by the decoder and a video data set rate associated with the displaying device[[,]]; and

a logic unit controlled to generate video data sets at the frame rate associated with the displaying device by inserting or deleting data sets based on computations performed using the stored values wherein at least one stored value includes one of a positive incremental and a negative incremental value.

- 20. (Original) The video decoder of claim 19 in which the logic unit comprises hardware.
- 21. (New) The method of claim 11 in which the input sets and the output sets comprise video frames.
- 22. (New) The method of claim 11 in which the input sets are based on compressed digital information.
- 23. (New) The method of claim 11 in which the output sets comprise video fields that satisfy a video broadcast standard.

Kula 1.120

(New) The method of claim 11 in which the input rate is one of 24,

Rule 1. 126

25, or 30 frames per second.

24. (New) The method of claim 11 in which the output rate is one of 50 or 60.

- 26. (New) The method of claim 11 in which the at least one computation comprises a computation performed with respect to each of the input sets.
- 27. (New) The method of claim 11 in which the insertion or deletion of sets of data occurs at regular intervals.
- 28. (New) The method of claim 11 in which the ratio of the input rate to the output rate may be any arbitrary rate.
- 29. (New) The method of claim 11 further comprising delivering the output sets of data at the output rate.
- 30. (New) The method of claim 11 in which the additional sets of data that are inserted comprise copies of ones of the input sets of data.